The Tornado™

A TURBOCHEF SPEED COOK OVEN

TURBOCHEF

Accelerating the World of Cooking™

The TurboChef Tornado is designed for foodservice operators who need speed, space, easy-to-use technology and high quality. The Tornado bakes, toasts, and browns food evenly and consistently *up to 12 times faster* than conventional methods.

The Tornado employs a patented combination of speed technologies to deliver quality food with unprecedented cook times. UL® Certified ventless, the Tornado eliminates the need for expensive exhaust and fire suppression equipment. This, combined with a compact footprint, allows for installation virtually anywhere. 128 programmable menu settings provide simple push-button cooking, minimizing staff training and supervision and ensuring consistent product delivery. With all of this packed into the world's fastest oven, the Tornado blows conventional cooking away.

8 PIZZA (refrigerated)



CHICKEN FINGERS (frozen)

"I am fast."

Cook food up to 12 times faster than a conventional oven with exceptional quality.

"I am ventless."

Eliminate thousands of dollars of fire suppression and ventilation equipment and installation costs.

"I am compact."

A small, stackable footprint maximizes cooking space for installation versatility.

"I cook quality food."

Customers agree food comes out tasting and looking great.

"I am easy to use."

128 programmable menu settings make cooking push-button simple.

"I make you money."

Hot, high quality items mean happy customers and more sales.

POTATO WEDGES (frozen)

12 SANDWICH (refrigerated)

All food shown was prepared in a TurboChef speed cook oven.

STANDARD FEATURES

- Recirculating air path with TurboChef Technologies patented Catalytic Converter system
- Multi-speed convection blower
- Conventional wire baking rack
- Optional bottom baking surface
- Independently controlled bottom browning element
- Smart Voltage Sensor Technology*
- Programmable with up to 128 cooking programs
- Smart Card capability
- Stackable design
- Manual sleep mode
- Warranty – 1 year parts and labor

CONSTRUCTION

Exterior

- 430 stainless steel front, top and sides
- 4 (102 mm) chrome plated adjustable legs
- Nickel plated handle
- Cool to the touch pull down door

Interior

- 304 stainless steel interior
- Fully insulated Cook Chamber
- Removable wire cooking rack
- Adjustable lower cooking element

DIMENSIONS

▫ Single Unit		
Height	19	(482 mm)
on legs	23	(584 mm)
Width	26	(660 mm)
Depth	25.7	(653 mm)
with handle	28.2	(716 mm)
Weight	190 lbs.	(86 kg)
▫ Cook Chamber		
Height	8	(203 mm)
Width	15.5	(393 mm)
Depth	14.7	(373 mm)
▫ Wall Clearance		
Sides/Top	2	(51 mm)
Back	0	(0 mm)

CERTIFICATIONS

UL, cUL, NSF, FDA, FCC

TurboChef reserves the right to make substitutions of components or change specifications without prior notice. Multiple patents pending.

ELECTRICAL SPECIFICATIONS

Europe/Asia-Pacific

NGCEW (NGC-1180-1W)	
Operating Voltage*	400 VAC
Current	16 Amp
Phase	3 Phase
Frequency	50 Hz
Plug	IEC 309, 5-pin, 32 amp
Max Input	10500 watts
Microwave Input Power	3500 watts
NGCED (NGC-1180-1D)	
Operating Voltage*	230 VAC
Current	30 Amp
Phase	3 Phase
Frequency	50 Hz
Plug	IEC 309, 4-pin, 32 amp
Max Input	10500 watts
Microwave Input Power	3500 watts
NGCUK (NGC-1180-1K)	
Operating Voltage*	230 VAC
Current	30 Amp
Phase	3 Phase
Frequency	50 Hz
Plug	IEC 309, 3-pin, 32 amp
Max Input	6700 watts
Microwave Input Power	3500 watts

**Smart Voltage Sensor Technology automatically senses the operating voltage and allows the user to correctly configure the oven. It does not compensate for lack of or over voltage situations. It is the responsibility of the owner to supply voltage to the unit according to the above specifications.*

Australia
www.moffat.com.au

New Zealand
www.moffat.co.nz

Australia
Moffat Pty Limited
Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone 03-9518 3888
Facsimile 03-9518 3833
Email vsales@moffat.com.au
www.moffat.com.au

New South Wales
Telephone 02-8833 4111
Email nswsales@moffat.com.au

South Australia
Telephone 03-9518 3888
Email vsales@moffat.com.au

Queensland
Telephone 07-3630 8600
Email qldsales@moffat.com.au

Western Australia
Telephone 08-9202 6820
Email bgarcia@moffat.com.au

New Zealand
Moffat Limited
Christchurch
Telephone 03-389 1007
Email sales@moffat.co.nz
www.moffat.co.nz

Auckland
Telephone 09-574 3150
Email sales@moffat.co.nz